

1-4-1

INDEX MAPS.

T.10N R.4W 2nd Mer.

	65-67	65-67	65-67	65-66	66	66						
69	6	88	5	82	4	79	3	76	2	72	1	64
	87		87		82		79		75		72	
69	7	87	8	82	9	78	10	75	11	72	12	64
	86		86		81		78		75		71	
68	18	86	17	81	16	78	15	74	14	71	13	64
	85		85		81		77		74		71	
68	19	85	20	81	21	77	22	74	23	70	24	63
	84		84		80		77		73		70	
68	30	84	29	80	28	76	27	73	26	70	25	63
	83		83		80		76		73		70	
67	31	83	32	79	33	76	34	73	35	69	36	63
	62		62		62		61		61		61	

Meandering 88

T.11N R.4W 2nd Mer.

	97	97	96	96	96	95						
99	6	118	5	113	4	109	3	106	2	103	1	95
	118		117		112		109		106		102	
99	7	117	8	112	9	109	10	106	11	102	12	95
	117		116		112		109		105		102	
98	18	116	17	112	16	108	15	105	14	101	13	94
	116		115		111		108		104		101	
98	19	115	20	111	21	108	22	104	23	101	24	94
	115		114		111		107		104		100	
98	30	114	29	110	28	107	27	103	26	100	25	94
	114		113		110		107		103		100	
97	31	113	32	110	33	106	34	103	35	100	36	93
	91-93		91-93		91-93		91-93		92		92	

The figures on the lines refer to the page.

Township N^o 10. Nth. of Range N^o 4 West of the 2nd Mer. Indiana
Ch^r. M^r.

South Boundary

B. 164

East	On a Random line on the South Boundary of T. N ^o 10. N. R. N ^o 47 th 5 miles & 70 ch. Fell 5 ch. North of Timp ^y post. Cornet & marked the line
West	On the South Boundary of sec. 36. T. N ^o 10. N. R. N ^o 47 th
10.00	To the Left Bank of White River 500 links wide, Co. S
32.00	To a Brook 50 links wide, Co. S.
40.00	Set a 74 suspect from which a Beech. 24 in. diam. trees. S 54 E. 7 links dist; 1 a, Sugar. 18 " " " N 44 W. 25 " "
80.00	Set a post for the cor of sec. 35 & 36 from which a Beech 13 in. diam. trees. N 59 E. 12 links dist; 1 a, Do. 9 " " " S 75 W. 27 " " White River Bottom land
West	On the South Boundary of sec. 35. T. N ^o 10. N. R. N ^o 47 th
37.50	To a Brook 8 links wide, Co. S. E.
40.00	Set a 74 suspect from which a Poplar. 20 N 83 E. 2 links dist; 1 a, Beech 18 S 61 W. 34 " "
80.00	Set a post for the cor of sec. 34 & 35 from which a N. Oak. 12 in. diam. trees S 27 E. 36 links dist; 1 a, Sugar. 18 " " " N 45 W. 43 " " Poor hilly & Beech. land.
West	On the South Boundary of sec. 34. T. N ^o 10. N. R. N ^o 47 th
21.50	To a Brook. 12 links wide, Co. S.
40.00	Set a 74 sus post from which a Beech 12 in. diam. trees. S 28 E. 31 links dist; 1 a, Poplar. 20 " " " N 5 W. 3 " "
80.00	Set a post for the cor of sec. 33 & 34 from which a Beech. 12 in. diam. trees N 7 E. W. 24 links dist; 1 a,

T. N^o 10. N.R. N^o 47th 2nd New Sud^a

Beek 9 in dirt: trees East 21 links dist
 Poor Beek Sand

West	On the South Boundary of sec. 33 T. N ^o 10 N.R. 47 th
2.00	Iron Brook 15 links miles, Sec. 37 th
38.00	" " " 8 " " " "
40.00	Set a 7 th supst from which
	Beek 12 in dirt: trees S 53 E. 18 links dist; ra
	Sugar 12 " " " N 27 W. 15 " "
80.00	Set a post for the cor of sec. 32 & 33 from which
	Sugar 8 in dirt: trees N 52 W. 24 links dist; ra
	W. Oak 30 " " " S 51 E. 42 " "
	Middling Beek land

West	On the South Boundary of sec. 32 T. N ^o 10 N.R. 47 th
5.00	Iron Brook 50 links miles, Sec. 37 th
39.00	" " Brook 25 " " " 37 th
40.00	Set a 7 th supst from which
	Butternut 16 in dirt: trees S 20 W. 5 links dist; ra
	Cherry 5 " " " N 74 E. 21 " "
80.00	Set a post for the cor of sec. 31 & 32 from which
	Hick 10 in dirt: trees N 84 E. 5 links dist; ra
	Beek 10 " " " S 56 W. 44 " "
	Poor Bottom

West	On the South Boundary of sec. 31 T. N ^o 10 N.R. N ^o 47 th
40.00	Set a 7 th supst from which
	Hogwoods 4 in dirt: trees N 78 E. 7 links dist; ra
	Ironwoods 3 " " " N 83 W. 10 " "
70.00	Set 250 links South of the temp ^y post cor. of Towns N ^o
	7 & 10. N.R. N ^o 405 th set a post from which
	Beek 4 in dirt: trees S 86 E. 22 links dist; ra
	Do. 3 " " " N 86 W. 24 " "

T. N^o 10. N^o 47th 2nd Mm. Sud.

Por Bush land.

East Boundary

April 29 18 11

B172

North On the East Boundary of sec. 36. T. N^o 10. N^o 47th
 From the corner of T^o 9 & 10. R^o 3 & 4 W
 20.00 To a Ly camus 100 mi dist. Strands in the river
 40.00 Set a 74 sw post from which
 Ly camus 48 mi dist. bears N 44 E. 12 mts dist; 1 a
 Hackberry 3 " " " S 50 W. 21 " "
 44.00 To the Left Bank of M. River Co. SW
 80.00 Set a post for the cor of sec. 25 & 36 from which
 Bush. 10 mi dist. bears S 24 E. 21 mts dist; 1 a
 Sugar 20 " " " N 39 W. 23 " "
 Met River Bottom.

North On the East Boundary of sec. 35 T. N^o 10. N^o 47th
 14.00 To a Bush 18 mi. dist. Strands in the river
 40.00 Set a 74 sw post from which
 Sugar. 13 mi dist. bears S 4 E. 25 mts dist; 1 a
 Bush. 13 " " " N 33 W. 26 " "
 45.50 To a Brook. 10 mts wide, Co. SW
 80.00 Set a post for the cor of sec. 24 & 25 from which
 Bush. 16 mi dist. bears S 27 E. 23 mts dist; 1 a
 Dogwood 4 " " " N 11 W. 25 " "
 Anty goods 7 Bush & Sugar Land

North On the East Boundary of sec. 24 T. N^o 10. N^o 47th
 40.00 Set a 74 sw post from which
 Bush. 14 mi dist. bears S 43 W. 19 mts dist; 1 a
 do — " " " N 32 E. 17 " "
 42.25 To a Millak 17 mi. dist. bears in the river
 67.00 " " Brook. 8 mts wide, Co. SW

T. N^o 10 M.R. N^o 47th 2nd M^o Sth

80.00 Set apart for the cor of sec. 13 & 24 from which
 Sugar 14 in. diam. trees N42 E 11 miles dist; 1st
 Healthy 15 " " " S64 W 39 " "
 Lando 10th 1/2 Healthy; Lando 1 Buck; 2nd 1/2 Healthy, rich
 Lando Sugar & Poplar

North On the East Boundary of sec 13. T. N^o 10 M.R. 47th
 40.00 Set a 1/4 sec apart from which

Buck 10 in. diam. trees S27 W 16 miles dist; 1st
 Sugar 10 " " " N42 E 31 " "

71.50 Top M. Oak 60 in. diam. in the line

80.00 Set apart for the cor of sec. 12 & 13 from which
 Sugar 16 in. diam. trees S22 W 17 miles dist; 1st
 Ld. 9 " " " N73 E 30 " "
 Healthy with lardo. Lando Sugar & Buck trees

North On the East Boundary of sec. 12. T. N^o 10. M.R. N^o 47th

24.50 Top Buck 14 in. diam. in the line

40.00 Set a 1/4 sec apart from which

M. Oak 20 in. diam. stands N3 E 25 miles dist; 1st

Buck 18 " " " N15 E 12 " "

80.00 Set apart for the cor of sec. 1 & 12 from which

Buck 16 in. diam. trees S10 W 30 miles dist; 1st

Sugar 9 " " " N30 E 26 " "

North On the East Boundary of sec 1. T. N^o 10 M.R. N^o 47th

11.00 To Poplar 30 in. diam. stands in the line

40.00 Set a 1/4 sec apart from which Sugar

Sugar 10 in. diam. trees S73 E 19 miles dist; 1st

Ld. 10 " " " West 30 " "

80.00 Set apart for cor of sec. 10. 10. & 11. 11 M.R. N^o 314 from which

M. Oak 30 in. diam. trees S42 E 34 miles dist; 1st

Buck 18 " " " N77 W 38 " "

65

T. N^o 10. N.R. N^o 4. W. Twp. Min. Ind.^s

Pretty good lands; Timber Sugar & Buck

	A87
North Boundary May 2. 1811	
East	On a Random line On the South Boundary of sec. 31. T. N ^o 11. N.R. N ^o 4 W. From the cor. of T ^s 10 & 11. N.R. 45 W
30.00	Set a 7/16 cu. foot temp ^y
55.00	Top of Brook 10 miles wide, loc. S.E.
70.00	Set a temp ^y post for the cor. of sec. 31. & 32
	Lands generally hilly, rich Timber Sugar & Buck
East	On a Random line On the South Boundary of sec. 32. T. N ^o 11. N.R. N ^o 4 W
27.00	Top of Brook 5 miles wide, loc. S.E.
40.00	Set a temp ^y 1/4 sec. post
43.00	Top of Brook 6 miles wide, loc. N.W.
80.00	Set a temp ^y post for the cor. of sec. 32. & 33
	Lands same. Timber Sugar & Buck. Oak & Hickory
East	On a Random line On the South Boundary of sec. 33 T. N ^o 11. N.R. N ^o 4 W
23.00	Top of Brook 3 miles wide, loc. N.E.
40.00	Set a 7/16 cu. foot (temp ^y)
43.00	Top of Brook 3 miles wide, loc. N
80.00	Set a temp ^y post for the cor. of sec. 33 & 34.
	Lands same as last mile
East	On the South Boundary of sec. 34. Random line, T. N ^o 11. N.R. N ^o 4 W
7.50	Top of Brook 30 miles wide, loc. S.
10.00	Top do. 30 " " " S.
40.00	Set a 7/16 cu. foot
80.00	Set a post for the cor. of sec. 34 & 35
	Lands same as last mile.

T. No 10. N. 10. N. 4 N. 2nd Mer. Ind.

East On a Random line On the South Boundary of sec. 35
 10.00 To a Brook 5 units wide, corner S.E.
 25.00 " " Do. 5 " " " S.
 32.00 " " Do. 50 " " " "
 40.00 Set a post for the corner of sec. 35
 80.00 " " post for the cor. of sec. 35 & 36.
 Kelly with hands timber Sugar, Beech, Oak &c

East On a Random line On the South Boundary of sec. 36
 T. N. 11. N. R. N. 4 W
 2.00 To a Brook 10 units wide, Co. S.W.
 40.00 Set a post for the corner of sec. 36
 80.00 Full Oak South of Turn. Corner

Corrected & marked the line With S. Boundary of T. 11 N. 4 W
 West On the South Boundary of sec. 36. T. N. 11. N. R. 4 W
 40.00 Set a post for the corner of sec. 36
 100.00 To a Brook 10 in. diam. bears N. 55 E. 15 units dist; 1 a
 Do. 16 " " " S. 10 W. 24 " "
 80.00 Set a post for the cor. of sec. 35 & 36. from which
 100.00 To a Brook 10 in. diam. bears N. 61 E. 14 units dist; 1 a
 N. Oak 16 " " S. 35 W. 24 " "

West On the South Boundary of sec. 35 T. 11 N. R. 4 W
 40.00 Set a post for the corner of sec. 35
 80.00 To a Brook 10 in. diam. bears N. 85 W. 50 units dist; 1 a
 80.00 Set a post for the cor. of sec. 34 & 35. from which
 100.00 To a Brook 12 in. diam. bears N. 88 E. 20 units dist; 1 a
 100.00 To a Brook 16 " " N. 72 W. 19 " "

West On the South Boundary of sec. 34. T. N. 11. N. R. 4 W
 40.00 Set a post for the corner of sec. 34
 100.00 To a Brook 5 in. diam. bears N. 80 W. 8 units dist; 1 a

67

T. N. 10. N. R. N. 47. 2nd (Mm. Sud.?)

80.00 Buck 5 in. diam. truss S3E. 15 links dist
 Set a post for the cor. of sec. 33. & 34 from which
 Buck 18 in. diam. truss S70 N. 8 links dist; 7 a
 Do 16 " " " S56 E. 24 " "

West 40.00 On the South Corner of sec. 33. T. 11. N. R. 47
 Set a post from which
 Maple 16 in. diam. truss S56 E. 25 links dist; 7 a
 Sugar 18 " " " N56 N. 25
 80.00 Set a post for the cor. of sec. 32, & 33 from which
 Log wood 6 in. diam. truss S66 N. 2 links dist; 7 a
 Oak 16 " " " N53 E. 38 " "

West 40.00 On the South Corner of sec. 32 T. 11 N. R. 47
 Set a post from which
 Sugar 18 in. diam. truss S75 E. 7 links dist; 7 a
 W. Oak. 24 " " " N75 N. 12 " "
 80.00 Set a post for the cor. of sec. 31 & 32 from which
 Buck 8 in. diam. truss N85 E. 27 links dist; 7 a
 Hick 18 " " " N33 N. 11 " "

West 40.00 On the South Corner of sec. 31. T. 11. N. R. 47
 Set a post from which
 Log wood 6 in. diam. truss S42 E. 7 links dist; 7 a
 Buck 12 " " " N56 N. 31. " "
 70.00 To the cor. of T. 10. & 11 N. R. N. 45 N.

3179

West Boundary Apr. 28. 1811

North 28.50 On the East Corner of sec. 36. T. N. 10. N. R. N. 5 N.
 From the cor. of T. 9. & 10. N. R. N. 45 N.
 40.00 Set a post from which
 Log wood 4 in. diam. truss S60 E. 14 links dist; 7 a

T. N^o 10 N.R. N^o 4 W. 2nd Mn. Indⁿ

Poplar 5 in. diam. trees S 85 W. 11 miles dist;
 80.00 Set a post for the cor. of Sec. 25. & 36 from where
 Buck. 16 in. diam. trees N 80 W. 34 miles dist; run
 E. 12 " " " East 25 " "
 Poor hilly Oak lands.

North On the East Boundary of Sec. 25 T. 11. N.R. 5 W
 22.50 To a Brook 8 miles wide, Co. S.E.
 40.00 Set a post for the cor. of Sec. 25 & 36 from where
 Buck. 12 in. diam. trees N 11 W. 4 miles dist; run
 S 50 E. 14 " " " S 5 E. 13 " "
 59.50 To a Brook. 15 miles wide, Co. S.E.
 76.00 To a Brook. 20 " " " S.E.
 80.00 Set a post for the cor. of Sec. 24 & 25 from where
 Buck. 12 in. diam. trees S 59 W. 9 miles dist; run
 S 50 E. 4 " " " N 35 E. 20 " "
 Poor Buck. Lands

North On the East Boundary of Sec. 24 T. 11. N.R. 5 W
 20.00 To a Log. 14 in. diam. in the line
 40.00 Set a post for the cor. of Sec. 24 & 36 from where
 Log. 14 in. diam. trees S 26 W. 18 miles dist; run
 Log. 4 " " " East 14 " "
 45.00 To a Brook 8 miles wide, Co. S.E.
 80.00 Set a post for the cor. of Sec. 13 & 24 from where
 Buck. 18 in. diam. trees S 39 E. 25 miles dist; run
 Log. 3 " " " N 85 W. 13 " "
 Poor hilly Buck. lands

North On the East Boundary of Sec. 13 T. N^o 10. N.R. N 5 W
 17.50 To a Brook. 10 miles wide, Co. S.E.
 34.00 " " " 25 " " S.E.
 35.50 To a Log. 18 in. diam. in the line

69

T. N^o 10. N.R. N^o 4 W. 2nd New Ind^a

40.00 Set a 74 sec post from which
 Buck. 18 in. dist. bears S 58 W. 5 hnts dist; ran
 L^o. 4 " " " S 32 E. 22 " "
 80.00 Set a post for the cor. of sec. 12 & 13 from which
 Buck. 14 in. dist. bears N 44 W. 14 hnts dist; ran
 L^o. 6 " " " S 40 E. 20 " "
 Poor hilly Buck. lands.

North On the East Boundary of sec. 12. T. N^o 10. N.R. 5 W.
 40.00 Set a 74 sec post from which
 Buck. 7 in. dist. bears S 18 W. 6 hnts dist, ran
 L^o. 4 " " " N 53 E. 8 " "
 80.00 Set a post for the cor. of sec. 1 & 12 from which
 Buck. 9 in. dist. bears S 18 E. 18 hnts dist; ran
 Sugar Co " " " N 5 W. 18 " "
 Muddling good Buck. lands.

North On the East Boundary of sec. 1. T. N^o 10. N.R. 5 W.
 40.00 Set a 74 sec post from which
 N. Oak 30 in. dist. bears N 6 E. 43 hnts dist; ran
 Buck. 15 " " " S 6 W. 36 " "
 80.00 Set a trip 7 post for the cor. of sec. 1. 6. 31 & 36.
 T. N^o 10 & 11 N.R. 4 & 5 W.
 Land 2nd rate; Timber Buck. & Sugar.

Surveyed by
 Alexander Holmstedt D.S.
 J. W. Holmstedt

Subdivisions

March. 28. 1814.

North Return Sec. 35 & 36. T. 11. N.R. 4 W.
 40.00 Set a 74 sec post from which
 Buck. 30 in. dist. bears N 20 W. 28 hnts dist; ran

T. N^o 10. N.R. N^o 4 W. 2nd Mer. Ind.

80.00	<p>Bugh 9 in. dia: trees S30 E. 28 cuts ditch;</p> <p>Set a post for the cor. of sec. 25, 26, 35 & 36. Timber</p> <p>Land middling Timber Buck. Oak. &c.</p> <p>East On a random line between sec. 25 & 36. T. 10. N.R. 4 W.</p>
26.50	<p>West On the line between sec. 25 & 36. T. 10. N.R. 4 W</p> <p>To a Brook 75 cuts wide, Sec. 3.</p>
40.00	<p>Set a 7/4 sec post from which.</p> <p>Buck. 20 in. dia: trees N18 W. 25 cuts ditch; run</p> <p>Sec. 18 " " " S20 W. 42 " "</p>
80.00	<p>Set a post for the cor. of sec. 25, 26, 35 & 36 from which</p> <p>N. Oak. 24 in. dia: trees North 12 cuts ditch; run</p> <p>Sugar. 8 " " " S5 E. 20 " "</p> <p>Land middling; Timber Buck. Oak. & Sugar</p>
North	Between sec. 25 & 26 T. N ^o 10. N.R. N ^o 4 W.
40.00	<p>Set a 7/4 sec post from which.</p> <p>White 18 in. dia: trees S80 W. 8 cuts ditch & a</p> <p>Sec. 18 " " " S50 E. 16 " "</p>
80.00	<p>Set a timber post for the cor. of sec. 23, 24, 25 & 26</p> <p>For hilly & stony lands.</p>
East	On a random line between sec. 24 & 25. T. 10 N.R. 4 W.
West	Between sec. 24 & 25 On the line T. N ^o 10 N.R. 4 W.
40.00	Set a 7/4 sec post in a creek 75 cuts wide, Sec. South.
80.00	<p>Set a post for the cor. of sec. 23, 24, 25, 26 from which</p> <p>Buck. 15 in. dia: trees Sec. W. 19 cuts ditch; run</p> <p>Sec. 36 " " " S80 E. 22 " "</p> <p>Land hilly Timber Oak. & Buck. &c.</p>
North	Between sec. 23 & 24. T. N ^o 10. N.R. 4 W.
34.75	To a Poplar 24 in. dia: stands in the line

40.00	Set a 7 th su post from which Sugar 18 in. dia. beam S 42 E. 8 hnts dish; ra, Do 18 " " " N 67 W. 19 " "
80.00	Set a trumpr post for the cor. of sw. 13. 14 23. & 24 Hilly stony lands. Lumber Oak & Sugar.
East	On a Random line between Sw. 13. & 24. T. N. 10. N. R. 4 W
West	On the same line between Sw. 13. & 24. T. N. 10. N. R. 4 W
40.00	Set a 7 th su post from which Buck. 12 in. dia. beam N 47 W. 5 hnts dish; ra, Ash 20 " " " S 23 E. 25 " "
68.00	To a line 75 hnts wide, Co. S.
79.00	Set a post for the cor. of sw. 13. 14 23. & 24 from which Buck. 30 in. dia. beam N 31 E. 39 hnts dish; ra, Sassafras 12. " " " East 28 " " Lands hilly; Lumber Oak. & Hickory
North	Return Sw. 13. & 14 T. N. 10. N. R. 4 W
34.00	To a line 75 hnts wide, Co. S.
40.00	Set a post for the cor. of 7 th su from which Oak. 12 in. dia. beam. South 31 hnts dish; ra, Hickory 14 " " " N 75 W. 37 " "
80.00	Set a trumpr post for the cor. of sw. 11. 12. 13 & 14 Poor hilly lands; Lumber Oak. & Hickory & Buck.
East	On a Random line between Sw. 12 & 13. T. N. 10. N. R. 4 W
West	On the same line between Sw. 12 & 13. T. N. 10. N. R. 4 W
40.00	Set a 7 th su post from which Buck. 15 in. dia. beam N 52 W. 18 hnts dish; ra, Hickory 15 " " " S 37 W. 25 " "
79.00	Set a post for the cor. of sw. 11. 12. 13 & 14 from which.

T. N. 10. S. R. N. 4 W. 2nd Mer. Ind.

Ironwode. 8 mi. dist. from S. 42 N. 22 mi. dist; 1 mi.
 Buck. 12 " " " N. 45 W. 7 " "
 Sandstone as last unit. March 29. 1814

North Return S. 11. 12 T. N. 10 S. R. N. 4 W.
 40.00 Set a 74th foot from which
 Sugar. 18 mi. dist. from N. 38 E. 13 mi. dist; 1 mi.
 Buck. 15 " " " South. 21 " "
 73.00 To a Brook 15 mi. dist, Co. N. W.
 80.00 Set a 74th foot for the cor. of sec. 1. 2. 11. 12
 Sandstone; Limb Oak, Buck. N. 45 W.

East Quad. Sec. 1. 12 T. N. 10 S. R. N. 4 W.

West Quad. Sec. 1. 12 T. N. 10 S. R. N. 4 W.
 40.00 Set a 74th foot from which
 N. 45 W. 12 mi. dist. from N. 7 E. 17 mi. dist; 1 mi.
 Buck. 15 " " " S. 58 W. 10 " "
 75.00 To a Brook 15 mi. dist, Co. S.
 80.00 Set a 74th foot for the cor. of sec. 1. 2. 11. 12 from which
 Sugar. 12 mi. dist. from N. 45 W. 12 mi. dist; 1 mi.
 Co. 15 " " " S. 40 E. 22 " "
 N. 45 W. 12 mi. dist. from N. 45 W. 12 mi. dist; 1 mi.
 N. 45 W. 12 mi. dist. from N. 45 W. 12 mi. dist; 1 mi.
 N. 45 W. 12 mi. dist. from N. 45 W. 12 mi. dist; 1 mi.

North Return S. 1. 12 T. N. 10 S. R. N. 4 W.
 40.00 Set a 74th foot from which
 Sugar. 24 mi. dist. from S. 5 E. 15 mi. dist; 1 mi.
 Buck. 12 " " " S. 5 W. 18 " "
 51.00 To a Brook 10 mi. dist, Co. S. W.
 83.00 Set a 74th foot for the cor. of sec. 3. 5. 13. 6
 T. N. 11. S. R. N. 4 W.
 Sandstone & Limb Oak as last unit.

North Between Sec. 34 & 35 T. 10 N. R. 4 N.
 18.50 To a W. Oak 24 in diam. in the line.
 40.00 Set a 74 post from which
 Sugar 20 in. diam. trees N 45 W. 20 links dist; 1 a.
 Ho. 12 " " " N 36 E 6 " " "
 80.00 Set a temporary post for the cor. of sec. 26, 27, 34 & 35.

East On a standard line between Sec. 26 & 35. T. 10 N. R. 4 N.

West On the true line between Sec. 26 & 35. T. N^o 10 N.R. N^o 4 N.
 40.00 Set a 74 post from which
 Sugar 12 in. diam. trees N 38 W. 19 links dist; 5 a.
 Walnut 18 " " " N 70 E. 25 " " "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which
 Buck 12 in. diam. trees N 56 E. 7 links dist; 1 a.
 Ho. 10 " " " N 54 E 17 " " "
 Middleing good. farming; lands; Limon Oak, Sugar,

North Between Sec. 26 & 27. T. N^o 10 N.R. N^o 4 N.
 40.00 Set a 74 post from which
 Buck 15 in. diam. trees N 58 W. 18 links dist; 1 a.
 Ho. 9 " " " N 19 E. 18 " " "
 71.50 To a Brook 10 links wide, Co. N. N.
 80.00 Set a temporary post for the cor. of sec. 23, 22, 26 & 27
 Land some as last mile

East On a standard line between Sec. 23 & 26. T. 10 N. R. 4 N.

West On the true line between Sec. 23 & 26. T. N^o 10 N.R. 4 N.
 40.00 Set a 74 post from which
 Buck 36 in. diam. trees N 47 W. 30 links dist; 1 a.
 Sugar 9 " " " N 50 E. 31 " " "
 80.00 Set a post for the cor. of sec. 22, 23, 26 & 27 from which

On

I. N^o 10. N. R. N^o 4. W. 2nd M^o Sur.

Buck. 6 in. diam. trees North 5 miles dist; 1st
 W. Oak. 13¹/₂ " " " " S 10 E. 44 " "
 Sande hilly; Timber Oak & Buck & Sugar

March. 30. 1814

North Return Sur. 22, 23. I. N^o 10 N. R. 4 W.

40.00 Set a 74th foot from which

Older 7 in. diam. trees. S 75 W. 25 miles dist; 1st

Buck 8¹/₂ " " " " N 20 E. 20 " "

78.00 To a Brook. 5 miles wide, Co. N. E.

80.00 Set a temp^l post for the cor. of Sur. 14, 15, 22 & 23.
 Iron hilly Buck. land.

East On a Random line between Sur. 14 & 23. I. N^o 10 N. R. 4 W.

West On a Random line between Sur. 14 & 23. I. N^o 10 N. R. 4 W.

40.50 Set a 74th foot from which

Cyp^l 15 in. diam. trees S 7 E 18 miles dist; 1st

Buck 9¹/₂ " " " " N 85 W. 21 " "

78.00 To a Brook 5 miles wide, Co. N. E.

80.00 Set a post for the cor. of Sur. 14, 15, 22 & 23. from which

Sugar. 10 in. diam. trees East 8 miles dist; 1st

Do. 15¹/₂ " " " " N 80 W. 15 " "

Sande same as last mile

North Return Sur. 14 & 15. I. N^o 10 N. R. N^o 4 W.

5.00 To a Brook. 4¹/₂ miles wide, Co. N. E.

40.00 Set a 74th foot from which

Sugar 8 in. diam. S 80 W. 10 miles dist; 1st

Cyp^l 20¹/₂ " " " " N 67 E. 23 " "

69.50 To a Great Spring. 12 miles wide, Co. E.

80.00 Set a temp^l post for the cor. of Sur. 10, 11, 14 & 15

Sande & timber same as last mile

75

I. N. 10. N. R. N. 4 M. D. M. (New Ind.')

East On a Random line between Jul. 11. & 14 I. N. 10 N. R. 4 M.

West On a Random line between Jul. 11. & 14 I. N. 10 N. R. 4 M.

9.00 To a point 50 miles wide, Co. S.

40.00 Set a 1/4 sec post from which

Walnut 24 in. diam. bears North 10 miles dist; r. n.

Buck 18 " " " S 33 E. 33.

80.00 Set a post for the cor. of sec. 10. 11. 14. & 15 from which

Buck 8 in. diam. bears South 5 miles dist; r. n.

Sassafras 9 " " " N 45 W. 18 " "

For Broken lands. Limit N. Buck. N. Oak. & c.

North Section Jul. 10. & 11 I. N. 10 N. R. 4 M.

40.00 Set a 1/4 sec post from which

Buck 24 in. diam. bears S 37 E. 28 miles dist; r. n.

He 15 " " " N 27 E. 18 " "

47.50 To a point 24 in. diam. stands in the line

80.00 Set a temporary post for the cor. of sec. 2, 3, 10. & 11

Lands with; Limit N. Buck. & Sugar.

East On a Random line between Jul. 2. & 11. I. N. 10 N. R. 4 M.

West On the same line between Jul. 2. & 11 I. N. 10 N. R. 4 M.

13.00 To a point 75 miles wide, Co. S.

27.00 " " " 75 " " " N. E.

39.50 " " " 75 " " " S. E.

40.00 Set a 1/4 sec post from which

Sugar. 15 in. diam. bears N 63 W. 29 miles dist; r. n.

He 12 " " " N 80 E. 22 " "

80.00 Set a post for the cor. of sec. 2, 3, 10. & 11 I. N. 10 N. R. 4 M.

from which

Poplar. 30 in. diam. bears North 39 miles dist; r. n.

Sugar. 7 " " " S 38 E. 16 " "

Lands with; Limit N. Buck. Sugar. Poplar & c.

N^o 10 N.R. N^o 4 N. 2nd (New Ind^y)

North Return Sat. 2.13. T. N^o 10. N.R. N^o 4 N.
 40.00 Set a 7/4 in post from which
 Buck. 26 in. dist. trees N 33 E. 39 links dist; 1 a,
 Ho. 4 " " " N 20 W. 16 " "
 Healthy Lando timber Buck. Poplar. Sugar.
 85.00 Set out the N. Road. 1.25 mile East of the Post,
 on of lat. 34 & 35 T. N^o 11. N.R. N^o 4 N.

March 31st 1814

North Return Sat. 33 & 34 T. N^o 10 N.R. N^o 4 N.
 1.25 To a Brook. 12 links wide, Co. N. W.
 40.00 Set a 7/4 in post from which
 Sugar. 5 in. dist. trees N 15 E. 35 links dist; 1 a,
 W. Oak. 33 " " " S 40 W. 34 " "
 80.00 Set a temporary post on of lat. 27. 28. 33 & 34
 Lando & timber Same as last mile.

East On a Random line between Sat. 27 & 34. T. N^o 10 N.R. N^o 4 N.

West On the true line between Sat. 27 & 34. T. N^o 10 N.R. N^o 4 N.
 40.00 Set a 7/4 in post from which
 Sugar. 6 in. dist. trees N 26 E. 18 links dist; 1 a,
 Buck. 10 " " " S 30 W. 21 " "
 80.00 Set a post for the cor of lat. 27. 28. 33 & 34 from which
 a Buck. 14 in. dist. trees N 30 E. 10 links dist; 1 a,
 Sugar. 1 1/4 " " " S 50 W. 10 " "
 Lando & hill. Timber Buck.

North Return Sat. 27 & 28 T. N^o 10 N.R. N^o 4 N.
 10.50 To a Brook. 12 links wide, Co. N. W.
 40.00 Set a 7/4 in post from which
 Buck. 14 in. dist. trees S 75 W. 13 links dist; 1 a,
 Ho. 4 " " " S 15 E. 16 " "

77

T. N. 10 N. R. N. 4 W. Quad. Area Ind.

46.00 To a Sugar. 15 mi. dist. Stand in the line.
 49.50 To a Brook 60 mi. side, Co. S. W.
 80.00 Set a trap for the car. of the 21. 22, 27. & 28.
 Some chills & strong Timber Buck. & Sugar.

East On a M. and an line between Jul. 22, & 27. T. N. 10 N. R. 4 W.

West On the line line between Jul. 22 & 27. T. N. 10 N. R. 4 W.
 3.00 To a Brook 12 mi. side, Co. S. W.
 40.00 Set a trap for the car. from which
 Heats 10 mi. dist. from N 10 E. 10 mi. dist. from
 Buck. 4 " " " S 58 E. 13 " "
 80.00 Set a trap for the car. of the 21. 22, 27. & 28 from which
 a specimen 30 mi. dist. from S 35 E. 28 mi. dist. from
 Maple. 24 " " " N 40 W. 56
 Some same as last mile.

North Return Jul. 21. & 22 T. N. 10 N. R. 4 W.
 12.50 To a Sugar. 14 mi. dist. in the line.
 39.00 " " Brook 10 mi. side, Co. S. E.
 40.00 Set a trap for the car. from which
 Buck 8 mi. dist. from S 40 E. 23 mi. dist. from
 L. O. 4 " " " S 58 E. 13 " "
 80.00 Set a trap for the car. of the 15. 16. 21. & 22
 Some chills; & rich Timber Sugar & Buck. Oak
 Poplar

East On a M. and an line between Jul. 15 & 22. T. N. 10 N. R. 4 W.

West On the line line between Jul. 15 & 22. T. N. 10 N. R. 4 W.
 25.00 To a Brook 6 mi. side, Co. S. W.
 40.00 Set a trap for the car. from which
 Sugar. 15 mi. dist. from N 70 W. 9 mi. dist. from

J. N^o 10 N. R. N^o 477. 2nd Mr. Ind.

66.50 Buck 13 in. dia: trees S 40 N. 50 links each; ~~and~~
 Toaloruk. 50 links wide, Co. S.E.
 80.00 Set a post for the cor. of Sec. 15. 16. 21 & 22 from which
 a Sugar. 15 in. dia: trees S 80 N. 8 links each; &
 Ironwode 4 " " " S 80 E. 6 " "
 Poor hilly stony land. Timber White

North Return Sec. 15 & 16. J. N^o 10. N. R. N^o 477
 31.50 To a White 12 in. dia: stands in the line
 40.00 Set a 1/4 sec post from which
 Ash. 20 in. dia: trees S 85 N. 8 links each; &
 Buck. 5 " " " S 33 E. 10 " "
 78.50 Toaloruk 40 links wide, Co. S.E.
 80.00 Set a trap post for the cor. of Sec. 9. 10. 15 & 16. of
 Poor broken land Timber Buck
 W. Oak & White

East On a random line between Sec. 10. & 15 J. 11. N. R. 477

West On the true line between Sec. 10. & 15 J. 11. N. R. 477
 40.00 Set a 1/4 sec post from which
 Sugar. 15 in. dia: trees N 12 E. 14 links each; &
 Poplar. 30 " " " S 30 E. 10 " "
 60.00 To a Brook 50 links wide, Co. S.E.
 80.00 Set a post for the cor. of Sec. 9. 10. 15. & 16 from which
 Buck. 8 in. dia: trees S 40 N. 14 links each; &
 Poplar. 13 " " " N 10 E. 5 " "
 Cuts same as last mile.

North Return Sec. 9. & 10 J. N^o 10 N. R. N^o 477
 4.50 To a Brook. 30 links wide, Co. S.N.
 6.00 To a Co. 30 " " " E.
 40.00 Set a 1/4 sec post from which

79

T. N. 10 N. R. N. 4 W. 2nd Mer. Ind.

Beck 12 in. dia. bore East 10 links dia; 7 a,
 Ho. 16 " " " N 43 W. 19 " "
 51.50 To a Heik 24 in. dia. in the line
 80.00 Set a trap for the cor. of sec. 3. 4. 9. & 10.
 Heikly Sand Timber Oak & Birch &c

East Quakomoon line between Sec. 3. & 10. T. N. 10. N. R. 4 W.

West Quakomoon line between Sec. 3. & 10. T. N. 10. N. R. 4 W.
 40.00 Set a trap for fish from which
 Sugar. 15 in. dia. bore S 30 E. 28 links dia; 7 a,
 Ho. 18 " " " West 13 " "
 48.00 To a Brook 50 links wide, Co. S. E.
 80.00 Set a trap for the cor. of sec. 3. 4. 9 & 10 from which
 Beck. 8 in. dia. bore. S 60 E. 18 links dia; 7 a,
 Sugar. 12 " " " N 5 E. 24 " "
 Sand & timber as above.

April 1st 1814

North Between Sec. 3. & 4. T. N. 10 N. R. 4 W.
 40.00 Set a trap for fish from which
 W. Oak. 24 in. dia. bore N 25 W. 17 links dia; 7 a,
 Sugar. 8 " " " S 20 W. 27 " "
 85.00 Set a trap for the N. boundary 1.25 links East of the fish
 cor. of sec. 33 & 34 T. N. 11 N. R. N. 4 W. & set a trap
 for the cor. of sec. 3. & 4 from which
 Beck. 24 in. dia. bore S 25 E. 36 links dia; 7 a,
 Ho. 12 " " " N 45 E. 16 " "
 Sand same as last mile.

North Between Sec. 32. & 33. T. N. 10 N. R. N. 4 W.
 11.50 To a Brook 75 links wide, Co. S. W.

I. N. 10 N. R. N. 4. N. 2nd M. S. S. S.

40.00	Set a 1/4 sup. from which a Beck. 3 in. dist. from C. 45 M. 4 m. dist; 1 a ash. 4 " " " 27 E. 5 " "
80.00	Set a temp. post for cor. of sec. 28. 29. 32 & 33.
Each	On a Random line between Sec. 28 & 33. I. N. 10 N. R. 4 M.
2	
Post	On the true line between Sec. 28 & 33. I. N. 10 N. R. 4 M.
40.00	Set a post for 1/4 sec. from which a Sugar. 12 in. dist. from C. 40 E. 15 m. dist; 1 a Lo. 13 " " " 27 E. 27 " "
51.00	Long Brook 75 m. dist, Co. S.
80.00	Set a post for the cor. of sec. 28. 29. 32 & 33. from which a Oak. 17 in. dist. from C. 20 E. 15 m. dist; 1 a Beck. 6 " " " 66 E. 8 " " Rich hill & Beck. Sands.
North	Return Sec. 28. & 29 I. N. 10 N. R. 4 M.
24.00	Long Beck. 20 in. dist. in the line
40.00	Set a 1/4 sup. from which a Beck. 5 in. dist. from C. 45 M. 16 m. dist; 1 a Oak. 8 " " " 5 E. 12. " "
80.00	Set a temp. post for cor. of sec. 20. 21. 28 & 29 Hilly with land. Limb. Beck. & Sugar
Each	On a Random line between Sec. 21 & 28
Post	On the true line between Sec. 21 & 28 I. N. 10 N. R. 4 M.
40.00	Set a 1/4 sup. from which a Beck. 20 in. dist. from C. 20 m. dist; 1 a Lo. 4 " " " 56 E. 19 " "
62.00	Long Brook 50 m. dist, Co. S. E.
80.00	Set a post for the cor. of sec. 20. 21. 28. & 29 from which a Beck. 6 in. dist. from C. 8 M. 11 m. dist

T. N^o 10. MR. N^o 477. Quad. Min. Soda

Sugar. 15 in. dia^t beam North 19 mts side;
Sande Hilly & Stray; Timber Buck. Sugar &

North Return Sul. 20. & 21 T. N^o 10. MR. N^o 477
14.00 To a Brook. 60 mts side, Co. E.
40.00 Set a 7/4 sq. post from which
Buck. 26 in. dia^t beam. N 80 E. 29 mts side; rag
Timber 8 " " " N 80 W. 5 " "
50.00 To a M. Oak. 36 in. dia^t Mounds in the low.
80.00 Set a tump. post for the cor. of Sul. 16. 17. 20. & 21.
Sande Hilly; Timber Buck. & Oak.

East On a Remains line between Sul. 16. & 21. T. N^o 10. MR. N^o 477.

West On the same line between Sul. 16. & 21. T. N^o 10. MR. N^o 477
39.50 To a Brook. 8 mts side, Co. E.
40.00 Set a 7/4 sq. post from which
Buck. 15 in. dia^t beam. N 80 E. 14 mts side; rag
Hick 16 " " " N 85 W. 9 " "
80.00 Set a post for the cor. of Sul. 16. 17. 20. & 21. from which
Sugar. 4 in. dia^t beam. N 85 W. 10 mts side; rag
Co. 6 " " " N 81 E. 19 " "
Sande Hilly; Timber Buck. Oak. & Sugar.

North Return Sul. 16. & 17 T. N^o 10. MR. N^o 477
40.00 Set a 7/4 sq. post from which
Sugar. 12 in. dia^t beam N 10 W. 12 mts side; rag
Co. 15 " " " N 75 W. 13 " "
58.50 To a Brook. 10 mts side, Co. West
80.00 Set a tump. post for the cor. of Sul. 8. 9. 16. & 17.
Sande & Timber same as last mile.

East On a Remains line between Sul. 9. & 16. T. N^o 10. MR. N^o 477.

S. N. 10. M.R. N. 4 H. 2nd M. Ind.

West On the line between Sec 9 & 10 T. 10 N. R. 4 W.
 1.50 Log Look. 30 links wide, Co. S.
 40.00 Set a 7/8 sap for from which
 Sugar 9 in. dia. bears S 70 E. 22 links dist; 1 a
 Ho. 9 " " " S 80 W. 16 "
 80.00 Set a post for the cor. of sec. 8, 9, 10. & 17. From which
 Poplar 60 in. dia. bears S 24 W. 34 links dist; 1 a
 Buck. 30 " " " N 43 E. 27 "
 Sand & Broken, Timber Buck. Sugar & Poplar.

April 2nd 1814

North Return Sec. 8 & 9 T. 10 N. R. N. 4 W.
 40.00 Set a 7/8 sap for from which
 Buck. 18 in. dia. bears S 20 E. 31 links dist; 1 a
 Poplar 32 " " " S 30 W. 34 "
 76.50 Log Look. 25 links wide, Co. S. E.
 80.00 Set a temp. post for the cor. of sec. 4, 5, 8 & 9
 Sand & timber same as last mile.

East On a Random line between Sec 4 & 9 T. 10 N. R. 4 W.

West On the line between Sec 4 & 9 T. N. 10. N. R. 4 W.
 40.00 Set a 7/8 sap for from which
 Maple 18 in. dia. bears S 58 W. 26 links dist; 1 a
 Buck. 10 " " " S 49 E. 26 "
 50.00 To a Brook. 10 links wide, Co. S.
 80.00 Set a post for the cor. of sec. 4, 5, 8 & 9 from which
 Sugar 18 in. dia. bears S 37 E. 37 links dist; 1 a
 Ho. 20 " " " N 15 W. 15 "
 Sand & same as last mile.

North Return Sec. 4 & 5 T. N. 10. N. R. N. 4 W.
 40.00 Set a 7/8 sap for from which

T. N. 10 N.R. N. 4 W. 2nd Mer. Ind.

41.00	<p>Enter at the West Boundary 100 links South of the foot cor. of sec. 25 & 26. T. N. 10 N.R. 5 W. & set a post for the cor. of sec. 30 & 31. From which Sugar. 12 in. diam. bears N 10 E. 12 links due; & a Bush. 9 " " " N 10 W. 9 " " Sande-hilly Timber Oak. 7 Bush. & Sugar</p>
North 40.00	<p>Return Sec. 29. 130 T. N. 10 N.R. 4 W. Set a 7/8" post from which Bush. 15 in. diam. bears S 47 W. 9 links due; & a Maple. 12 " " " N 29 E. 32 " "</p>
41.00	To a Poplar 24 in. diam. in the line
80.00	<p>Set a 1 1/2" post for the cor. of sec. 19, 20, 29, & 30 Sande-hilly Timber. as last mile.</p>
Cash	On a Random line between Sec. 20 & 29. T. N. 10 N.R. 4 W.
West 40.00	<p>On the true line between Sec. 20 & 29 T. N. 10 N.R. 4 W. Set a 7/8" sec. post from which Bush. 15 in. diam. bears South 3 links due; & a Oak. 20 " " " North 20 " " 80.00 Set a post for the cor. of sec. 19, 20, 29, & 30 from which Bush. 6 in. diam. bears S. 8 W. 11 links due; & a Sugar. 15 " " " North 19 " " Sande-hilly; Timber Bush. Oak & Hickory.</p>
West 40.00	<p>Return Sec. 19. 130 T. N. 10 N.R. 4 W. Set a 7/8" sec. post from which Bush. 24 in. diam. bears N 45 W. 35 links due; & a Ironwood in " " S E 7 " "</p>
41.00	<p>Enter at the West Boundary 100 links South of the foot cor. of sec. 24 & 25. T. N. 10 N.R. N. 4 W. and set a post for the cor. of sec. 19 & 30 from which</p>

T. N. 10 MR. N. 47 2nd Mm. Ind. 85

Elm 12 in. diam. bears S65W26 hnds. diab; ra,
 Buck 24 in. " " N10E21 " "
 Lando same as last mile.

April 3rd 1814

North Between Sec. 19 & 20 T. N. 10 MR. N. 47
 40.00 Set a 1/4 sec. post from which
 Poplar 20 in. diam. bears S78E38 hnds. diab; ra,
 Logwood 4 in. " " S10W5 " "
 80.00 Set a timber post for the cor. of sec. 17, 18, 19 & 20
 Lando maddling in quality; Timber Buck Oak & Sugar

East On a Random line between Sec. 17 & 20 T. N. 10 MR. N. 47

West On the true line between Sec. 17 & 20 T. N. 10 MR. N. 47
 38.00 To a Brook 10 hnds. side, Co. S.
 40.00 Set a 1/4 sec. post from which
 Sugar 10 in. diam. bears S80E18 hnds. diab; ra,
 L. 7 in. " " S47W11 " "
 57.00 To a Brook 60 hnds. side, Co. S.E.
 80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
 Buck 24 in. diam. bears N20W6 hnds. diab; ra,
 L. 12 in. " " S70W22 " "
 Lando & timber same as last mile.

West Between Sec. 18 & 19 T. N. 10 MR. N. 47
 40.00 Set a 1/4 sec. post from which
 Buck 26 in. diam. bears North 30 hnds. diab; ra,
 Elm 18 in. " " S80W30 " "
 72.00 Set the West Corner at 150 hnds. E. of the post cor. of
 Sec. 18 & 24 T. N. 10 MR. N. 47. & set a post for the cor. of sec.
 18 & 19 from which
 Buck 12 in. diam. bears S85E23 hnds. diab; ra,

T. N. 10 N. R. N. 47. 2nd Mer Sec.

Beck 20 in. dia. trees 850 E. 16. huts each; 1/2
Lands timber same as last mile.

North Return Sec. 17 & 18 T. N. 10 N. R. N. 47
21.00 Top Brook 60 huts under, la. S.E.
40.00 Set a 1/4 section from which
Beck. 20 in. dia. trees 830 N. 12 huts each; 1/2
Lo. 20 " " " N 15 E. 20 " "
63.00 Top Ach. 36 in. dia. trees in the line.
80.00 Set a trap 1/4 post for the cor. of Sec. 7, 8, 17 & 18
Lands hilly, rich; timber Beck Sugar etc

East On a line from line between Sec. 8 & 17 T. N. 10 N. R. 47

West On a line from line between Sec. 8 & 17 T. N. 10 N. R. 47
40.00 Set a 1/4 section from which
Sugar 6 in. dia. trees 845 N. 18 huts each; 1/2
Chap 18 " " " N 47 E. 12 " "
80.00 Set a post for the cor. of Sec. 7, 8, 17 & 18 from which
Beck. 18 in. dia. trees. North 44 huts each; 1/2
Lo. 24 " " " S 20 N. 19 " "
Lands same as last mile.

West Return Sec. 7 & 18 T. N. 10 N. R. N. 47
36.00 Top Brook 12 huts under, la. S.
40.00 Set a 1/4 section from which
Oak 24 in. dia. trees N 50 N. 39 huts each; 1/2
Oak 20 " " " S E. 13 " "
73.00 Set a 1/4 section from which
Post Cor. of Sec. 12 & 13 T. N. 10 N. R. N. 57. & set a
post for the cor. of Sec. 7 & 18 from which
Sugar. 22 in. dia. trees N 84 N. 33 huts each; 1/2
Beck. 12 in. " " " N 73 E. 20 " "

87

J. N. 10 MR. N. 47. 2nd. Min. Sud.

North
40.00 Return Sud. 7.08 J. N. 10 MR 47
Let a 1/4 raft of gum which
Buck. 24 in dia: beam. S 10 E. 5 hms ash; 7 m
S 10 W. 5 " " North 32 " "

41.00 Let a Brook. 10 hms wide to S.W.

80.00 Let a raft of gum for the cor of cut. 5.6.7.8.
S 10 E. 2 m dia: beam; S 10 W. 1 hms ash; 7 m

East On a Meridian line between Sud. 5.8. J. N. 10 MR. 11 W

April 4. 1814

West On a Meridian line between Sud. 5.8. J. N. 10 MR. 47.

2.00 Let a Brook. 25 hms wide to S.E.

40.00 Let a 1/4 raft of gum which
Buck. 30 in dia: beam S 10 E. 11 hms ash; 7 m
Peplon. 12 " " " N 41 E. 35 " "

80.00 Let a raft for the cor of cut. 5.6.7.8 gum which
S 10 W. 9 in dia: beam S 14 E. 11 hms ash; 7 m
Buck. 12 " " " S 49 W. 18 " "
S 10 E. 1 hms ash; 7 m

West Return Sud. 6.7 J. N. 10 MR. 47

27.00 Let a Brook. 10 hms wide to S.

40.00 Let a 1/4 raft of gum which
S 10 W. 15 in dia: beam S 30 E. 31 hms ash; 7 m
Buck. 12 " " " N 58 W. 19 " "

73.00 Let a Brook. 100 hms South of the
first cor of cut. 1.2.13 J. N. 10 MR. 57. Let a raft for the
cor of cut. 6.7 gum which
Buck. 30 in dia: beam. North 32 hms ash; 7 m
Height 18 " " " S 82 W. 25 " "
S 10 E. 1 hms ash; 7 m

T. N^o 10 N.R. N^o 47. 2nd. Men. Ind.

North Return L^o. 546 T. N^o 10 N.R. 47
 30.00 Long N Oak 36 in dia: in hollow.
 40.00 Set a 1/4 cu foot from which
 Poplar 20 in dia: trunk 10 N. 23 knots ash; 70,
 100. 24 " " " 30 E. 20 " "
 85.00 Lute cut the N. Barnet? 2 1/2 mds. East of the fork
 Cut for the cut of sec. 31 & 32. T. N^o 11. N.R. N^o 47
 Lunde muddling Fuller Lunde.

James Holmes D.S.

John Hutchison & } Christians
 Jacob Barnett }

Meadows of White River. Right Bank
 Commencing in the South Boundary of sec. 36.
 T. N^o 10. N.R. N^o 47 thence upstream

N 19 N	7.36	
N 5 N	1.78	
N 6 N	5.02	
N 1 N	2.30	
N 2 1/2 N	1.50	Islands.
N 31 E.	9.49	
N 2 E.	1.42	
N 5 N	1.57	In Sec. 36.
N 1 E.	1.64	
N 5 N	2.73	
N 4 E.	1.36	Upper end of Islands
N 9 E.	2.87	
N 18 E.	2.49	
N 33 E.	3.84	
N 43 E.	1.60	
N 38 E.	2.43	
N 46 E.	4.83	
N 41 E.	3.37	

89

S. No 10. N.R. No 47. 2nd May Sud.

N 72 E 3.29

N 81 E. 2.56.

*S 65 E. 0.48 To the fork in the Range Line between Sud.
31 & 36. S. No 10 & 10. N.R. No 324 Fresh from
which a Cottonwood 12 mi. dist: bears N 5 E. 9 the creek;
under a Sycamore 12 " " " S 64 W. 18 " "*

*South 5.20 On the Range line E. Side of su. 36. Across River
& set apart from which a
Maple. 5 mi. dist: bears N 3 1/2 E. 18 links dist; 1 mi.
Chw. 8 " " " S 25 E. 17 " "*

*Meanders of White River. Left Banks
From the last named fork thence down stream*

S 30 W 4.74

S 42 W 7.05

S 22 W 4.94

S 12 W 6.34

S 2 W 3.52

S 5 E. 3.32

S 9 W. 5.19

South 3.17

S 17 W 2.82

S 6 W. 6.82

S 20 W 3.17

S 33 W 2.50

S 37 W 2.17

S 2 W 2.71

S 10 W. 10.00 To Turn Line On the S. Bank of su. 36.

In su. 36.

*South 6.06. Distance on the S.E. side of River to 1/4 R.R.
cor.*

Friday. 19th May. 1820.

Abraham Holmes L.S.

T. N. 10. N. R. N. 4 N. 2nd Mer. Ind.

I certify that the foregoing Transcript of the
Field notes of Township N. 10. North, of Range
N. 4 West of the 2nd Principal Meridian, in
Indiana has been compared with the Original notes
in this Office, & found to be correct.

Surveyor General's Office
Cincinnati Dec 31st 1840

Sur. Genl.